



Lustrana

Product Specification

Part Number: LA

Description: Bovine leather hides, Lustrana Grade, Haircell Grain



Lustrana Product Characteristics

Our Lustrana range features premium leather with a two-tone finish and haircell grain.

Description	Test method	Unit	Minimum
Colour fastness to rubbing (wet)	BS EN ISO 11640:2018	Grey scale (ISO 105 A02)	150 cycles Min 3 grey scale
Colour fastness to rubbing (perspiration)	BS EN ISO 11640:2018	Grey scale (ISO 105 A02)	50 cycles Min 4 grey scale
Colour fastness to rubbing (dry)	BS EN ISO 11640:2018	Grey scale (ISO 105 A02)	500 cycles Min 4 grey scale
Light fastness	BS EN ISO 105-B02:2014	Blue wool scale	Min 6
Finish adhesion (dry)	BS EN ISO 11644:2009	N/10mm	5
Finish adhesion (wet)	BS EN ISO 11644:2009	N/10mm	2
Burning behaviour	BS 5852:2006 BS 5852:2006 ECE R118.03		Crib 5 IMO Module B certified Annex 6, 7, 8
Flexing endurance	BS EN ISO 5402-1:2017	Cycles	20,000
Tear strength	BS EN ISO 3377-2:2016	N	Min 35
Abrasion	BS EN ISO 17076-1:2012 (CS10/500g)	Cycles	500
Tensile	ISO 3376:2011	N/mm2	12
Elongation	ISO 3376:2011	%	35-60
Weight		gsm	750
Hide origin			UK and Ireland
Substance	BS EN ISO 2589:2016	mm	1.0 (+/-0.2mm)
Colour	Spectro-photometer	ΔE	<1.0

Lustrana

Bovine leather hides, Lustrana
Grade, Haircell Grain



Cinnamon
LA005



Oxblood
LA017



Dark Green
LA009



Black
LA002

Disclaimer

The colour of our digital swatches can vary depending on individual screen settings.
Therefore, please always request physical samples before placing an order.